

PVC PRESSURE PIPE SYSTEMS PVC-U FITTINGS

PVC-U FITTINGS ARE DESIGNED AND MANUFACTURED TO AS/NZS 1477 FOR VARIOUS WATER INDUSTRY APPLICATIONS

PVC COUPLING CAT 7

CODE	SIZE	DESCRIPTION	BAG	BOX
R12.100.015	15mm	PVC COUPLING PN18 CAT 7	100	1200
R12.100.020	20mm	PVC COUPLING PN18 CAT 7	100	800
R12.100.025	25mm	PVC COUPLING PN18 CAT 7	50	400
R12.100.032	32mm	PVC COUPLING PN18 CAT 7	25	300
R12.100.040	40mm	PVC COUPLING PN18 CAT 7	25	200
R12.100.050	50mm	PVC COUPLING PN18 CAT 7	10	100
R12.100.065	65mm	PVC COUPLING PN18 CAT 7	1	48
R12.100.080	80mm	PVC COUPLING PN18 CAT 7	1	48
R12.100.100	100mm	PVC COUPLING PN18 CAT 7	1	36
R12.100.150	150mm	PVC COUPLING PN18 CAT 7	1	12
R12.100.200	200mm	PVC COUPLING PN10 CAT 7	1	4
R12.100.225	225mm	PVC COUPLING PN10 CAT 7 ¹	1	1
R12.100.250	250mm	PVC COUPLING PN10 CAT 7 ¹	1	1
R12.100.300	300mm	PVC COUPLING PN10 CAT 7 ¹	1	1
R12.100.375	375mm	PVC COUPLING PN6 CAT 7 ¹	1	1



PVC CAP CAT 6

CODE	SIZE	DESCRIPTION	BAG	BOX
R12.140.015	15mm	PVC CAP PN18 CAT6	350	2100
R12.140.020	20mm	PVC CAP PN18 CAT6	200	1200
R12.140.025	25mm	PVC CAP PN18 CAT6	100	1000
R12.140.032	32mm	PVC CAP PN18 CAT6	75	450
R12.140.040	40mm	PVC CAP PN18 CAT6	50	300
R12.140.050	50mm	PVC CAP PN18 CAT6	25	200
R12.140.080	80mm	PVC CAP PN18 CAT6	1	140
R12.140.100	100mm	PVC CAP PN18 CAT6	1	60
R12.140.125	125mm	PVC CAP PN18 CAT6	1	60
R12.140.150	150mm	PVC CAP PN18 CAT6	1	24
R12.140.200	200mm	PVC CAP PN10 CAT6	1	24



PVC BSP THREADED CAP CAT 6

CODE	SIZE	DESCRIPTION	BAG	BOX
R12.141.015	15mm	PVC CAP THD PN18 CAT 6	350	2100
R12.141.020	20mm	PVC CAP THD PN18 CAT 6	200	1200
R12.141.025	25mm	PVC CAP THD PN18 CAT 6	100	1000
R12.141.032	32mm	PVC CAP THD PN18 CAT 6	75	450
R12.141.040	40mm	PVC CAP THD PN18 CAT 6	50	300
R12.141.050	50mm	PVC CAP THD PN18 CAT 6	25	200
R12.141.080	80mm	PVC CAP THD PN18 CAT 6	1	140
R12.141.100	100mm	PVC CAP THD PN18 CAT 6	1	60
R12.141.150	150mm	PVC CAP THD PN18 CAT 6	1	24



¹ PVC-U fittings in grey to: ISO727
Heavy duty PVC cement must be used

PVC PRESSURE PIPE SYSTEMS PVC-U FITTINGS

PVC-U FITTINGS ARE DESIGNED AND MANUFACTURED TO AS/NZS 1477 FOR VARIOUS WATER INDUSTRY APPLICATIONS

PVC REDUCING BUSH CAT 5

CODE	SIZE	DESCRIPTION	BAG	BOX
R12.109.020015	20x15mm	PVC BUSH PN18 CAT 5	100	2500
R12.109.025020	25x20mm	PVC BUSH PN18 CAT 5	100	1600
R12.109.032025	32x25mm	PVC BUSH PN18 CAT 5	25	600
R12.109.040025	40x25mm	PVC BUSH PN18 CAT 5	25	600
R12.109.040032	40x32mm	PVC BUSH PN18 CAT 5	50	600
R12.109.050025	50x25mm	PVC BUSH PN18 CAT 5	25	300
R12.109.050040	50x40mm	PVC BUSH PN18 CAT 5	25	300
R12.109.080050	80x50mm	PVC BUSH PN18 CAT 5	1	120
R12.109.100050	100x50mm	PVC BUSH PN18 CAT 5	1	100
R12.109.100080	100x80mm	PVC BUSH PN18 CAT 5	1	100
R12.109.150100	150x100mm	PVC BUSH PN18 CAT 5	1	50
R12.109.200150	200x150mm	PVC BUSH PN10 CAT 5	1	4
R12.109.225150	225x150mm	PVC BUSH PN10 CAT 5 ¹	1	3
R12.109.225200	225x200mm	PVC BUSH PN10 CAT 5 ¹	1	3
R12.109.250150	250x150mm	PVC BUSH PN10 CAT 5 ¹	1	1
R12.109.250200	250x200mm	PVC BUSH PN10 CAT 5 ¹	1	1
R12.109.250225	250x225mm	PVC BUSH PN10 CAT 5 ¹	1	1
R12.109.300150	300x150mm	PVC BUSH PN10 CAT 5 ¹	1	1
R12.109.300200	300x200mm	PVC BUSH PN10 CAT 5 ¹	1	1
R12.109.300225	300x225mm	PVC BUSH PN10 CAT 5 ¹	1	1
R12.109.375225	375x225mm	PVC BUSH PN6 CAT 5 ¹	1	1
R12.109.375250	375x250mm	PVC BUSH PN6 CAT 5 ¹	1	1
R12.109.375300	375x300mm	PVC BUSH PN6 CAT 5 ¹	1	1
R12.114.300250	300x250mm	PVC RED COUPLING PN6 CAT8 ¹	1	1
R12.114.375300	375x300mm	PVC RED COUPLING PN6 CAT8 ¹	1	1



PVC PRESSURE PIPE SYSTEMS PVC-U FITTINGS

PVC-U FITTINGS ARE DESIGNED AND MANUFACTURED TO AS/NZS 1477 FOR VARIOUS WATER INDUSTRY APPLICATIONS

PVC REDUCING COUPLING CAT 8

CODE	SIZE	DESCRIPTION	BAG	BOX
R12.114.020015	20x15mm	PVC RED COUPLING PN18 CAT8	100	800
R12.114.025015	25x15mm	PVC RED COUPLING PN18 CAT8	50	400
R12.114.025020	25x20mm	PVC RED COUPLING PN18 CAT8	50	400
R12.114.032020	32x20mm	PVC RED COUPLING PN18 CAT8	50	300
R12.114.032025	32x25mm	PVC RED COUPLING PN18 CAT8	25	200
R12.114.040020	40x20mm	PVC RED COUPLING PN18 CAT8	25	225
R12.114.040025	40x25mm	PVC RED COUPLING PN18 CAT8	25	250
R12.114.040032	40x32mm	PVC RED COUPLING PN18 CAT8	25	200
R12.114.050025	50x25mm	PVC RED COUPLING PN18 CAT8	10	200
R12.114.050032	50x32mm	PVC RED COUPLING PN18 CAT8	25	200
R12.114.050040	50x40mm	PVC RED COUPLING PN18 CAT8	25	175
R12.114.080050	80x50mm	PVC RED COUPLING PN18 CAT8	1	120
R12.114.100050	100x50mm	PVC RED COUPLING PN18 CAT8	1	36
R12.114.100080	100x80mm	PVC RED COUPLING PN18 CAT8	1	12
R12.114.150100	150x100mm	PVC RED COUPLING PN18 CAT8	1	12
R12.114.200150	200x150mm	PVC RED COUPLING PN10 CAT8	1	1
R12.114.225200	225x200mm	PVC RED COUPLING PN10 CAT8 ¹	1	1
R12.114.250200	250x200mm	PVC RED COUPLING PN6 CAT8 ¹	1	1
R12.114.250225	250x225mm	PVC RED COUPLING PN10 CAT8 ¹	1	1
R12.114.300150	300x150mm	PVC RED COUPLING PN6 CAT8 ¹	1	1
R12.114.300200	300x200mm	PVC RED COUPLING PN6 CAT8 ¹	1	1
R12.114.300225	300x225mm	PVC RED COUPLING PN6 CAT8 ¹	1	1



PVC 90° ELBOW CAT 13

CODE	SIZE	DESCRIPTION	BAG	BOX
R12.115.015	15mm	PVC 90 ELBOW PN18 CAT13	50	900
R12.115.020	20mm	PVC 90 ELBOW PN18 CAT13	25	500
R12.115.025	25mm	PVC 90 ELBOW PN18 CAT13	25	250
R12.115.032	32mm	PVC 90 ELBOW PN18 CAT13	20	160
R12.115.040	40mm	PVC 90 ELBOW PN18 CAT13	15	120
R12.115.050	50mm	PVC 90 ELBOW PN18 CAT13	10	70
R12.115.080	80mm	PVC 90 ELBOW PN18 CAT13	1	38
R12.115.100	100mm	PVC 90 ELBOW PN18 CAT13	1	18
R12.115.150	150mm	PVC 90 ELBOW PN18 CAT13	1	8
R12.115.200	200mm	PVC 90 ELBOW PN10 CAT13	1	2
R12.115.225	225mm	PVC 90 ELBOW PN10 CAT13 ¹	1	1
R12.115.250	250mm	PVC 90 ELBOW PN10 CAT13 ¹	1	1
R12.115.300	300mm	PVC 90 ELBOW PN10 CAT13 ¹	1	1
R12.115.375	375mm	PVC 90 ELBOW PN6 CAT13 ¹	1	1



¹ PVC-U fittings in grey to: ISO727
Heavy duty PVC cement must be used

PVC PRESSURE PIPE SYSTEMS PVC-U FITTINGS

PVC-U FITTINGS ARE DESIGNED AND MANUFACTURED TO AS/NZS 1477 FOR VARIOUS WATER INDUSTRY APPLICATIONS

PVC 90° FAUCET ELBOW CAT 15

CODE	SIZE	DESCRIPTION	BAG	BOX
R12.116.015	15mmx15mm	PVC 90D P/T PN18 CAT15	100	900
R12.116.020015	20mmx15mm	PVC 90D P/T PN18 CAT15	50	500
R12.116.020	20mmx20mm	PVC 90D P/T PN18 CAT15	25	500
R12.116.025015	25mmx15mm	PVC 90D P/T PN18 CAT15	25	250
R12.116.025020	25mmx20mm	PVC 90D P/T PN18 CAT15	25	250
R12.116.025	25mmx25mm	PVC 90D P/T PN18 CAT15	25	250
R12.116.040	40mmx40mm	PVC 90D P/T PN18 CAT15	15	120
R12.116.050	50mmx50mm	PVC 90D P/T PN18 CAT15	10	70



PVC 45° ELBOW CAT 10

CODE	SIZE	DESCRIPTION	BAG	BOX
R12.119.015	15mm	PVC 45 ELBOW PN18 CAT10	100	1000
R12.119.020	20mm	PVC 45 ELBOW PN18 CAT10	25	600
R12.119.025	25mm	PVC 45 ELBOW PN18 CAT10	25	400
R12.119.032	32mm	PVC 45 ELBOW PN18 CAT10	25	200
R12.119.040	40mm	PVC 45 ELBOW PN18 CAT10	25	150
R12.119.050	50mm	PVC 45 ELBOW PN18 CAT10	10	80
R12.119.080	80mm	PVC 45 ELBOW PN18 CAT10	1	45
R12.119.100	100mm	PVC 45 ELBOW PN18 CAT10	1	24
R12.119.150	150mm	PVC 45 ELBOW PN18 CAT10	1	8
R12.119.200	200mm	PVC 45 ELBOW PN10 CAT10	1	2
R12.119.225	225mm	PVC 45 ELBOW PN10 CAT10 ¹	1	1
R12.119.250	250mm	PVC 45 ELBOW PN10 CAT10 ¹	1	1
R12.119.300	300mm	PVC 45 ELBOW PN10 CAT10 ¹	1	1
R12.119.375	375mm	PVC 45 ELBOW PN6 CAT10 ¹	1	1



¹ PVC-U fittings in grey to: ISO727
Heavy duty PVC cement must be used

PVC PRESSURE PIPE SYSTEMS PVC-U FITTINGS

PVC-U FITTINGS ARE DESIGNED AND MANUFACTURED TO AS/NZS 1477 FOR VARIOUS WATER INDUSTRY APPLICATIONS

PVC TEE CAT 19

CODE	SIZE	DESCRIPTION	BAG	BOX
R12.122.015	15mm	PVC TEE PN18 CAT19	50	450
R12.122.020	20mm	PVC TEE PN18 CAT19	25	400
R12.122.025	25mm	PVC TEE PN18 CAT19	25	200
R12.122.032	32mm	PVC TEE PN18 CAT19	15	90
R12.122.040	40mm	PVC TEE PN18 CAT19	10	80
R12.122.050	50mm	PVC TEE PN18 CAT19	6	60
R12.122.065	65mm	PVC TEE PN18 CAT19	1	40
R12.122.080	80mm	PVC TEE PN18 CAT19	1	32
R12.122.100	100mm	PVC TEE PN18 CAT19	1	16
R12.122.150	150mm	PVC TEE PN18 CAT19	1	4
R12.122.200	200mm	PVC TEE PN10 CAT19	1	2
R12.122.225	225mm	PVC TEE PN10 CAT19 ¹	1	1
R12.122.250	250mm	PVC TEE PN10 CAT19 ¹	1	1
R12.122.300	300mm	PVC TEE PN10 CAT19 ¹	1	1
R12.122.375	375mm	PVC TEE PN6 CAT19 ¹	1	1

PVC REDUCING TEE CAT 19

CODE	SIZE	DESCRIPTION	BAG	BOX
R12.122.020015	20mmx15mm	PVC TEE PN18 CAT19	50	400
R12.122.025015	25mmx15mm	PVC TEE PN18 CAT19	25	200
R12.122.025020	25mmx20mm	PVC TEE PN18 CAT19	25	200
R12.122.040020	40mmx20mm	PVC TEE PN18 CAT19	10	80
R12.122.040025	40mmx25mm	PVC TEE PN18 CAT19	10	80
R12.122.040032	40mmx32mm	PVC TEE PN18 CAT19	10	80
R12.122.050020	50mmx20mm	PVC TEE PN18 CAT19	10	60
R12.122.050025	50mmx25mm	PVC TEE PN18 CAT19	10	60
R12.122.050032	50mmx32mm	PVC TEE PN18 CAT19	1	1
R12.122.050040	50mmx40mm	PVC TEE PN18 CAT19	6	60
R12.122.080025	80mmx25mm	PVC TEE PN18 CAT19	1	32
R12.122.080040	80mmx40mm	PVC TEE PN18 CAT19	1	32
R12.122.080050	80mmx50mm	PVC TEE PN18 CAT19	1	32
R12.122.100050	100mmx50mm	PVC TEE PN18 CAT19	1	16
R12.122.100080	100mmx80mm	PVC TEE PN18 CAT19	1	16
R12.122.150100	150mmx100mm	PVC TEE PN18 CAT19	1	1
R12.122.200150	200mmx150mm	PVC TEE PN10 CAT19	1	1
R12.122.250150	250mmx150mm	PVC TEE PN10 CAT19 ¹	1	1
R12.122.250200	250mmx200mm	PVC TEE PN10 CAT19 ¹	1	1
R12.122.300150	300mmx150mm	PVC TEE PN10 CAT19 ¹	1	1
R12.122.300200	300mmx200mm	PVC TEE PN10 CAT19 ¹	1	1
R12.122.375300	375mmx300mm	PVC TEE PN6 CAT19 ¹	1	1



PVC PRESSURE PIPE SYSTEMS PVC-U FITTINGS

PVC-U FITTINGS ARE DESIGNED AND MANUFACTURED TO AS/NZS 1477 FOR VARIOUS WATER INDUSTRY APPLICATIONS

PVC FAUCET TEE CAT 21

CODE	SIZE	DESCRIPTION	BAG	BOX
R12.121.015	15mm	PVC F/TEE PN18 CAT 21	75	450
R12.121.020	20mm	PVC F/TEE PN18 CAT 21	25	400
R12.121.025	25mm	PVC F/TEE PN18 CAT 21	25	200
R12.121.032	32mm	PVC F/TEE PN18 CAT 21	10	90
R12.121.040	40mm	PVC F/TEE PN18 CAT 21	10	80
R12.121.050	50mm	PVC F/TEE PN18 CAT 21	6	60

PVC REDUCING FAUCET TEE CAT 21

CODE	SIZE	DESCRIPTION	BAG	BOX
R12.121.020015	20mmx15mm	PVC F/TEE PN18 CAT 21	25	400
R12.121.025015	25mmx15mm	PVC F/TEE PN18 CAT 21	25	200
R12.121.025020	25mmx20mm	PVC F/TEE PN18 CAT 21	25	200
R12.121.032020	32mmx20mm	PVC F/TEE PN18 CAT 21	1	1
R12.121.032025	32mmx25mm	PVC F/TEE PN18 CAT 21	1	1
R12.121.040020	40mmx20mm	PVC F/TEE PN18 CAT 21	10	80
R12.121.040025	40mmx25mm	PVC F/TEE PN18 CAT 21	10	80
R12.121.050020	50mmx20mm	PVC F/TEE PN18 CAT 21	10	60
R12.121.050025	50mmx25mm	PVC F/TEE PN18 CAT 21	10	60
R12.121.050040	50mmx40mm	PVC F/TEE PN18 CAT 21	10	60

PVC BSP FAUCET SOCKET CAT 18

CODE	SIZE	DESCRIPTION	BAG	BOX
R12.101.015	15mm	PVC F/SOC PN18 CAT 18	100	1200
R12.101.020	20mm	PVC F/SOC PN18 CAT 18	25	800
R12.101.025	25mm	PVC F/SOC PN18 CAT 18	25	400
R12.101.032	32mm	PVC F/SOC PN18 CAT 18	25	300
R12.101.040	40mm	PVC F/SOC PN18 CAT 18	25	200
R12.101.050	50mm	PVC F/SOC PN18 CAT 18	10	100
R12.101.080	80mm	PVC F/SOC PN18 CAT 18	1	48
R12.101.100	100mm	PVC F/SOC PN18 CAT 18	1	36
R12.101.150	150mm	PVC F/SOC PN18 CAT 18	1	12

PVC BSP REDUCING FAUCET SOCKET CAT 18

CODE	SIZE	DESCRIPTION	BAG	BOX
R12.101.025015	25mmx15mm	PVC F/SOC PN18 CAT 18	25	500



¹ PVC-U fittings in grey to: ISO727
Heavy duty PVC cement must be used

¹ PVC-U fittings in grey to: ISO727
Heavy duty PVC cement must be used

PVC PRESSURE PIPE SYSTEMS PVC-U FITTINGS

PVC-U FITTINGS ARE DESIGNED AND MANUFACTURED TO AS/NZS 1477 FOR VARIOUS WATER INDUSTRY APPLICATIONS

PVC BSP VALVE TAKE OFF ADAPTOR CAT 2

CODE	SIZE	DESCRIPTION	BAG	BOX
R12.107.015	15mm	PVC BSP VTOA PN18 CAT 2	1	+1400
R12.107.020	20mm	PVC BSP VTOA PN18 CAT 2	25	1000
R12.107.025	25mm	PVC BSP VTOA PN18 CAT 2	25	600
R12.107.032	32mm	PVC BSP VTOA PN18 CAT 2	25	400
R12.107.040	40mm	PVC BSP VTOA PN18 CAT 2	25	300
R12.107.050	50mm	PVC BSP VTOA PN18 CAT 2	10	200
R12.107.080	80mm	PVC BSP VTOA PN18 CAT 2	1	100
R12.107.100	100mm	PVC BSP VTOA PN18 CAT 2	1	1

PVC BSP REDUCING VALVE TAKE OFF ADAPTOR CAT 2

CODE	SIZE	DESCRIPTION	BAG	BOX
R12.107.025015	25mmx15mm	PVC BSP VTOA PN18 CAT 2	1	1
R12.107.040020	40mmx20mm	PVC BSP VTOA PN18 CAT 2	1	1
R12.107.040025	40mmx25mm	PVC BSP VTOA PN18 CAT 2	1	1
R12.107.040032	40mmx32mm	PVC BSP VTOA PN18 CAT 2	1	1
R12.107.050025	50mmx25mm	PVC BSP VTOA PN18 CAT 2	1	1
R12.107.050040	50mmx40mm	PVC BSP VTOA PN18 CAT 2	1	1

PVC BSP VALVE SOCKET THREADED CAT 17

CODE	SIZE	DESCRIPTION	BAG	BOX
R12.151.015	15mm	PVC V/SOC THD PN18 CAT17	100	1400
R12.151.020	20mm	PVC V/SOC THD PN18 CAT17	25	1000
R12.151.025	25mm	PVC V/SOC THD PN18 CAT17	25	600
R12.151.032	32mm	PVC V/SOC THD PN18 CAT17	25	400
R12.151.040	40mm	PVC V/SOC THD PN18 CAT17	25	300
R12.151.050	50mm	PVC V/SOC THD PN18 CAT17	25	200
R12.151.080	80mm	PVC V/SOC THD PN18 CAT17	1	75
R12.151.100	100mm	PVC V/SOC THD PN18 CAT17	1	60
R12.151.150	150mm	PVC V/SOC THD PN18 CAT17	1	18

PVC BSP FAUCET ADAPTOR CAT 3

CODE	SIZE	DESCRIPTION	BAG	BOX
R12.153.015	15mm	PVC FAUC/ADPT PN18 CAT3	50	1400
R12.153.020	20mm	PVC FAUC/ADPT PN18 CAT3	50	1000
R12.153.025	25mm	PVC FAUC/ADPT PN18 CAT3	50	600
R12.153.032	32mm	PVC FAUC/ADPT PN18 CAT3	25	400
R12.153.040	40mm	PVC FAUC/ADPT PN18 CAT3	25	300
R12.153.050	50mm	PVC FAUC/ADPT PN18 CAT3	20	200



PVC PRESSURE PIPE SYSTEMS PVC-U FITTINGS

PVC-U FITTINGS ARE DESIGNED AND MANUFACTURED TO AS/NZS 1477 FOR VARIOUS WATER INDUSTRY APPLICATIONS

PVC BSP REDUCING FAUCET ADAPTOR CAT 3

CODE	SIZE	DESCRIPTION	BAG	BOX
R12.153.025015	25mmx15mm	PVC FAUC/ADPT PN18 CAT3	1	1
R12.153.032015	32mmx15mm	PVC FAUC/ADPT PN18 CAT3	1	1
R12.153.032020	32mmx20mm	PVC FAUC/ADPT PN18 CAT3	1	1
R12.153.040025	40mmx25mm	PVC FAUC/ADPT PN18 CAT3	1	1
R12.153.050025	50mmx25mm	PVC FAUC/ADPT PN18 CAT3	1	1
R12.153.050040	50mmx40mm	PVC FAUC/ADPT PN18 CAT3	1	1

PVC BARREL UNION CAT 22

CODE	SIZE	DESCRIPTION	BAG	BOX
R12.205.015	15mm	PVC BARREL UNION PN18 CAT 22	25	100
R12.205.020	20mm	PVC BARREL UNION PN18 CAT 22	25	100
R12.205.025	25mm	PVC BARREL UNION PN18 CAT 22	25	100
R12.205.032	32mm	PVC BARREL UNION PN18 CAT 22	10	80
R12.205.040	40mm	PVC BARREL UNION PN18 CAT 22	10	80
R12.205.050	50mm	PVC BARREL UNION PN18 CAT 22	8	48
R12.205.080	80mm	PVC BARREL UNION PN18 CAT 22	6	12

PVC COMPRESSION COUPLING

CODE	SIZE	DESCRIPTION	BAG	BOX
R12.901.015	15mm	COMPRESSION COUPLING PVC	15	160
R12.901.020	20mm	COMPRESSION COUPLING PVC	15	120
R12.901.025	25mm	COMPRESSION COUPLING PVC	15	120
R12.901.032	32mm	COMPRESSION COUPLING PVC	9	72
R12.901.040	40mm	COMPRESSION COUPLING PVC	9	54
R12.901.050	50mm	COMPRESSION COUPLING PVC	9	36
R12.901.080	80mm	COMPRESSION COUPLING PVC	1	12
R12.901.100	100mm	COMPRESSION COUPLING PVC	1	6

PVC COMPRESSION TEE THREADED

CODE	SIZE	DESCRIPTION	BAG	BOX
R12.901.050	50mm	COMPRESSION COUPLING PVC	15	120
R12.921.025	25mm	COMPRESSION COUPLING PVC	15	160



¹ PVC-U fittings in grey to: ISO727
Heavy duty PVC cement must be used

PVC PRESSURE PIPE SYSTEMS PVC-U FLANGES

PVC -U FLANGES FOR VARIOUS WATER INDUSTRY APPLICATIONS

PVC FLANGE TABLE D

CODE	SIZE	DESCRIPTION	BAG	BOX
R12.317.050	50mm	PVC FLANGE TABLE D ¹	1	48
R12.317.080	80mm	PVC FLANGE TABLE D ¹	1	24
R12.317.100	100mm	PVC FLANGE TABLE D ¹	1	20
R12.317.150	150mm	PVC FLANGE TABLE D ¹	1	6

PVC VANSTONE FLANGE D/E/ANSI

CODE	SIZE	DESCRIPTION	BAG	BOX
R12.317.050V	50mm	PVC VANSTONE FLANGE CAT16 ¹	1	1
R12.317.080V	80mm	PVC VANSTONE FL. CAT16 D/E/ANSI ¹	1	24
R12.317.100V	100mm	PVC VANSTONE FL. CAT16 D/E/ANSI ¹	1	20
R12.317.150V	150mm	PVC VANSTONE FL. CAT16 D/E/ANSI/DIN ¹	1	6
R12.317.200V	200mm	PVC V/FL CAT16 PN10 D/E/ANSI/DIN ¹	1	4
R12.317.225V	225mm	PVC V/FL CAT16 PN10 E/ANSI/DIN ¹	1	2
R12.317.250V	250mm	PVC V/FL CAT16 PN10 E/ANSI/DIN ¹	1	2
R12.317.300V	300mm	PVC V/FL CAT16 PN8 D/E/DIN ¹	1	1
R12.317.375V	375mm	PVC V/FL CAT16 PN5 DIN ¹	1	1

PVC STUB FLANGE

CODE	SIZE	DESCRIPTION	BAG	BOX
R12.135.050	50mm	PVC STUB FLANGE ¹	1	1
R12.135.080	80mm	PVC STUB FLANGE ¹	1	1
R12.135.100	100mm	PVC STUB FLANGE ¹	1	1
R12.135.150	150mm	PVC STUB FLANGE ¹	1	10
R12.135.200	200mm	PVC STUB FLANGE ¹	1	3
R12.135.225	225mm	PVC STUB FLANGE ¹	1	4
R12.135.250	250mm	PVC STUB FLANGE ¹	1	2
R12.135.300	300mm	PVC STUB FLANGE ¹	1	1
R12.135.375	375mm	PVC STUB FLANGE ¹	1	1

TABLE D GAL BACKING RINGS

CODE	SIZE	DESCRIPTION
R03.416.050	50mm	GAL BACKING RING TABLE D
R03.416.080	80mm	GAL BACKING RING TABLE D
R03.415.100	100mm	GAL BACKING RING TABLE D
R03.415.150	150mm	GAL BACKING RING TABLE D
R13.415.225	200mm	GAL BACKING RING TABLE D
P0900.416.25022	225mm	GAL BACKING RING TABLE D
R13.415.250	250mm	GAL BACKING RING TABLE D
P0900.526.315	300mm	GAL BACKING RING TABLE D
R13.415.400	375mm	GAL BACKING RING TABLE D



PVC PRESSURE PIPE SYSTEMS PVC TAPPING BANDS & REPAIR COUPLINGS

ACCESSORIES FOR PVC PIPE

ALUMINIUM TAPPING BAND

CODE	SIZE	DESCRIPTION	BAG	BOX
R12.905.080025	80mmx1"	TAPPING BAND	1	1
R12.905.080040	80mmx1½"	TAPPING BAND	1	1
R12.905.080050	80mmx2"	TAPPING BAND	1	10
R12.905.100025	100mmx1"	TAPPING BAND	1	1
R12.905.100040	100mmx1½"	TAPPING BAND	1	1
R12.905.100050	100mmx2"	TAPPING BAND	1	10
R12.905.150025	150mmx1"	TAPPING BAND	1	1
R12.905.150040	150mmx1½"	TAPPING BAND	1	1
R12.905.150050	150mmx2"	TAPPING BAND	1	10
R12.905.150080	150mmx3"	TAPPING BAND	1	10
R12.905.150100	150mmx4"	TAPPING BAND	1	8
R12.905.200025	200mmx1"	TAPPING BAND	1	1
R12.905.200040	200mmx1½"	TAPPING BAND	1	1
R12.905.200050	200mmx2"	TAPPING BAND	1	8
R12.905.200080	200mmx3"	TAPPING BAND	1	8
R12.905.200100	200mmx4"	TAPPING BAND	1	8



PVC REPAIR COUPLING

CODE	SIZE	DESCRIPTION	BAG	BOX
R12.902.080	80mm	REPAIR COUPLING	1	1
R12.902.100	100mm	REPAIR COUPLING	1	1
R12.902.150	150mm	REPAIR COUPLING	1	1
R12.902.200	200mm	REPAIR COUPLING	1	1

PVC PRESSURE PIPE SYSTEMS PVC VALVES

ACCESSORIES FOR PVC PIPE

AIR RELIEF VALVE

CODE	SIZE	DESCRIPTION	BAG	BOX
R12.804.025	25mm	AIR VALVE	1	1
R12.804.050	50mm	AIR VALVE	1	1

PVC CHECK VALVE

CODE	SIZE	DESCRIPTION	BAG	BOX
R12.805.020	20mm	CHECK VALVE (SLIP) 2LB	1	60
R12.805.025	25mm	CHECK VALVE (SLIP) 2LB	1	60
R12.805.040	40mm	CHECK VALVE (SLIP) 2LB	1	24
R12.805.050	50mm	CHECK VALVE (SLIP) 2LB	1	24

PVC BALL VALVE SWJ

CODE	SIZE	DESCRIPTION	BAG	BOX
R12.801.015	15mm	BALL VALVE PVC (SLIP)	1	100
R12.801.020	20mm	BALL VALVE PVC (SLIP)	1	100
R12.801.025	25mm	BALL VALVE PVC (SLIP)	1	100
R12.801.032	32mm	BALL VALVE PVC (SLIP)	1	100
R12.801.040	40mm	BALL VALVE PVC (SLIP)	1	48
R12.801.050	50mm	BALL VALVE PVC (SLIP)	1	24

PVC BALL VALVE FEMALE BSP

CODE	SIZE	DESCRIPTION	BAG	BOX
R12.802.015	15mm	BALL VALVE PVC (FEMXFEM)	1	100
R12.802.020	20mm	BALL VALVE PVC (FEMXFEM)	1	100
R12.802.025	25mm	BALL VALVE PVC (FEMXFEM)	1	100
R12.802.032	32mm	BALL VALVE PVC (FEMXFEM)	1	100
R12.802.040	40mm	BALL VALVE PVC (FEMXFEM)	1	48
R12.802.050	50mm	BALL VALVE PVC (FEMXFEM)	1	24



PVC PRESSURE PIPE SYSTEMS PVC PIPE CEMENT & PRIMING FLUID

PVC-M PIPE CEMENTS & PRIMING FLUIDS ARE DESIGNED AND MANUFACTURED TO AS/NZS 3879 FOR VARIOUS WATER INDUSTRY APPLICATIONS

PVC PIPE CEMENT – PRESSURE TYPE P

CODE	SIZE	DESCRIPTION	BOX
R12.461.012P	125ml	PVC PIPE CEMENT TYPE P	36
R12.461.025P	250ml	PVC PIPE CEMENT TYPE P	36
R12.461.050P	500ml	PVC PIPE CEMENT TYPE P	24
R12.461.050PC	500ml	PVC CEMENT TYPE P CLR	24
R12.461.100P	1ltr	PVC PIPE CEMENT TYPE P	12
R12.461.400P	4ltr	PVC PIPE CEMENT TYPE P	4
R12.461.400PC	4ltr	PVC PIPE CEMENT TYPE P CLR	4

PVC PIPE CEMENT – PRESSURE LARGE BORE GAP FILLING

CODE	SIZE	DESCRIPTION	BOX
R12.461.100G	1ltr	PVC PIPE CEMENT TYPE G	6
R12.461.400G	4ltr	PVC PIPE CEMENT TYPE G	4

PVC PIPE CEMENT – NON PRESSURE TYPE N

CODE	SIZE	DESCRIPTION	BOX
R12.461.050N	500ml	PVC PIPE CEMENT TYPE N	24
R12.461.050NC	500ml	PVC PIPE CEMENT TYPE N	24
R12.461.100N	1ltr	PVC PIPE CEMENT TYPE N	12
R12.461.400N	4ltr	PVC PIPE CEMENT TYPE N	4
R12.461.400NC	4ltr	PVC PIPE CEMENT TYPE N	12

PVC PRIMING FLUID

CODE	SIZE	DESCRIPTION	BOX
R12.463.012	125ml	PVC PRIMING FLUID	36
R12.463.025	250ml	PVC PRIMING FLUID	36
R12.463.050	500ml	PVC PRIMING FLUID	24
R12.463.050C	500ml	PVC PRIMING FLUID	24
R12.463.100	1ltr	PVC PRIMING FLUID	12
R12.463.400	4ltr	PVC PRIMING FLUID	4

